


UNCLASSIFIED ~~CONFIDENTIAL~~

6  
Copy  
RM 54F01

NACA RM 54F01



CLASSIFICATION CHANGED  
**RESEARCH MEMORANDUM**  
UNCLASSIFIED

To \_\_\_\_\_

By authority of NASA TPA 9 *E. F. Felt* Date 9-1-59

*7/12 11-26-59*

BIBLIOGRAPHY OF NACA REPORTS RELATED TO  
AIRCRAFT CONTROL AND GUIDANCE SYSTEMS

JANUARY 1949 - APRIL 1954

By Roy J. Niewald and Jack D. Brewer

NACA Headquarters  
Washington, D. C.

**LIBRARY COPY**

JUL 20 1954

CLASSIFIED DOCUMENT

LANGLEY AERONAUTICAL LABORATORY  
LIBRARY, NACA  
WALLOP FIELD, VIRGINIA

This material contains information affecting the National Defense of the United States within the meaning of the espionage laws, Title 18, U.S.C., Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

**NATIONAL ADVISORY COMMITTEE  
FOR AERONAUTICS**

WASHINGTON

July 19, 1954

~~CONFIDENTIAL~~ UNCLASSIFIED



## INDEX

	<u>Page</u>
AIRPLANE FLIGHT CONTROL . . . . .	1
Manual Flight Control Systems	
Control boost, artificial feel, limiting . . . . .	3
Human pilot characteristics . . . . .	4
Flying and Handling Characteristics	
Requirements . . . . .	5
Tracking . . . . .	6
General flying and handling qualities . . . . .	7
Control and airplane response statistics . . . . .	11
Automatic Control	
Automatic stabilization . . . . .	12
Automatic control and guidance . . . . .	15
Noise Inputs	
Atmospheric turbulence . . . . .	16
Radar . . . . .	18
Airplane Dynamics	
Frequency response and transfer functions . . . . .	19
Longitudinal . . . . .	20
Lateral . . . . .	23
MISSILE FLIGHT CONTROL . . . . .	27
Dynamic Stability and Control . . . . .	29
Automatic Control and Guidance . . . . .	32
ENGINE CONTROLS . . . . .	35
Turbojet . . . . .	37
Turbine Propeller . . . . .	40
Ram-Jet . . . . .	41
ANALYTICAL TECHNIQUES . . . . .	43
Aircraft Dynamics . . . . .	45
Flight Analysis Techniques . . . . .	46
Servo-System Analyses and Syntheses . . . . .	48
FLIGHT INSTRUMENTATION . . . . .	51

AIRPLANE FLIGHT CONTROL



## Manual Flight Control Systems

Control boost, artificial feel, limiting

Phillips, William H.: Theoretical Analysis of Some Simple Types of Acceleration Restrictors. NACA TN 2574, 1951.

Mathews, Charles W., Talmage, Donald B., and Whitten, James B.: Effects on Longitudinal Stability and Control Characteristics of a Boeing B-29 Airplane of Variations in Stick-Force and Control-Rate Characteristics Obtained Through Use of a Booster in the Elevator-Control System. NACA Report 1076, 1952.

Campbell, John P., Hunter, Paul A., Hewes, Donald E., and Whitten, James B.: Flight Investigation of the Effect of Control Centering Springs on the Apparent Spiral Stability of a Personal-Owner Airplane. NACA Report 1092, 1952.

Brown, B. Porter, Chilton, Robert G., and Whitten, James B.: Flight Investigation of a Mechanical Feel Device in an Irreversible Elevator Control System of a Large Airplane. NACA Report 1101, 1952.

Adams, James J., and Whitten, James B.: Tests of a Centering Spring Used as an Artificial Feel Device on the Elevator of a Fighter Airplane. NACA RM L52G16, 1952.

Matthews, Howard F., and Schmidt, Stanley F.: A Theoretical Study of the Effect of Control-Deflection and Control-Rate Limitations on the Normal Acceleration and Roll Response of a Supersonic Interceptor. NACA RM A53B11, 1953.

Abramovitz, Marvin, Schmidt, Stanley F., and Van Dyke, Rudolph D., Jr.: Investigation of the Use of a Stick Force Proportional to Pitching Acceleration for Normal-Acceleration Warning. NACA RM A53E21, 1953.

Phillips, William H., Brown, B. Porter, and Matthews, James T., Jr.: Review and Investigation of Unsatisfactory Control Characteristics Involving Instability of Pilot-Airplane Combination and Methods for Predicting These Difficulties From Ground Tests. NACA RM L53F17a, 1953.

Sternfield, Leonard: Several Factors Affecting Roll Control Systems of Interceptors. NACA RM L53I22a, 1953.

## Manual Flight Control Systems (Continued)

Human pilot characteristics

- Phillips, William H., and Cheatham, Donald C.: Ability of Pilots to Control Simulated Short-Period Yawing Oscillations. NACA RM L50D06, 1950.
- Beckhardt, Arnold R., Harper, John A., and Alford, William L.: A Preliminary Flight Investigation of the Effect of Snaking Oscillations on the Pilots' Opinions of the Flying Qualities of a Fighter Airplane. NACA RM L50E17a, 1950.
- Cheatham, Donald C.: A Study of the Characteristics of Human-Pilot Control Response to Simulated Aircraft Lateral Motions. NACA RM L52C17, 1952.
- Abramovitz, Marvin, Schmidt, Stanley F., and Van Dyke, Rudolph D., Jr.: Investigation of the Use of a Stick Force Proportional to Pitching Acceleration for Normal-Acceleration Warning. NACA RM A53E21, 1953.
- Phillips, William H., Brown, B. Porter, and Matthews, James T., Jr.: Review and Investigation of Unsatisfactory Control Characteristics Involving Instability of Pilot-Airplane Combination and Methods for Predicting These Difficulties From Ground Tests. NACA RM L53F17a, 1953.

## Flying and Handling Characteristics

Requirements

Phillips, William H.: Appreciation and Prediction of Flying Qualities.  
NACA Report 927, 1949.

Kauffman, William M., Liddell, Charles J., Jr., Smith, Allan, and Van Dyke, Rudolph D., Jr.: An Apparatus for Varying Effective Dihedral in Flight with Application to a Study of Tolerable Dihedral on a Conventional Fighter Airplane. NACA Report 948, 1949.

Liddell, Charles J., Jr., Van Dyke, Rudolph D., Jr., and Heinle, Donoval R.: A Flight Determination of the Tolerable Range of Effective Dihedral on a Conventional Fighter Airplane. NACA TN 1936, 1949.

Beckhardt, Arnold R., Harper, John A., and Alford, William L.: A Preliminary Flight Investigation of the Effect of Snaking Oscillations on the Pilots' Opinions of the Flying Qualities of a Fighter Airplane. NACA RM L50E17a, 1950.

Liddell, Charles J., Jr., Creer, Brent Y., and Van Dyke, Rudolph D., Jr.: A Flight Study of Requirements for Satisfactory Lateral Oscillatory Characteristics of Fighter Aircraft. NACA RM A51E16, 1951.

Mathews, Charles W., Talmage, Donald B., and Whitten, James B.: Effects on Longitudinal Stability and Control Characteristics of a Boeing B-29 Airplane of Variations in Stick-Force and Control-Rate Characteristics Obtained Through Use of a Booster in the Elevator-Control System. NACA Report 1076, 1952.

Brown, B. Porter, Chilton, Robert G., and Whitten, James B.: Flight Investigation of a Mechanical Feel Device in an Irreversible Elevator Control System of a Large Airplane. NACA Report 1101, 1952.

Adams, James, Jr., and Whitten, James B.: Tests of a Centering Spring Used as an Artificial Feel Device on the Elevator of a Fighter Airplane. NACA RM L52G16, 1952.

Phillips, William H., Brown, B. Porter, and Matthews, James T., Jr.: Review and Investigation of Unsatisfactory Control Characteristics Involving Instability of Pilot-Airplane Combination and Methods for Predicting These Difficulties From Ground Tests. NACA RM L53F17a, 1953.

Anderson, Seth B.: Correlation of Flight and Wind-Tunnel Measurements of Roll-Off in Low Speed Stalls on a 35° Swept-Wing Aircraft. NACA RM A53G22, 1953.

## Flying and Handling Characteristics (Continued)

Tracking

Winograd, Lee, and Van Dyke, Rudolph D., Jr.: Flight Determination of the Effects of Rudder-Pedal-Force Characteristics on the Aiming Error in Azimuth of a Conventional Fighter Airplane. NACA RM A50D06, 1950.

Cheatham, Donald C., Mathews, Charles W., and Harper, John A.: A Study of Visual Interception Attacks on a Nonmaneuvering Airplane Target. NACA RM L53E01, 1953.

Kuehnel, Helmut A., Beckhardt, Arnold R., and Champine, Robert A.: A Flight Investigation of the Effects of Varied Lateral Damping on the Effectiveness of a Fighter Airplane as a Gun Platform. NACA RM L53F08a, 1953.

Rathert, George A., Jr.: The Effect of Stability and Control Characteristics on the Tracking Effectiveness of Airplanes. Paper presented at NACA Conference on Aerodynamics of High-Speed Aircraft, July 8-10, 1953.

McNeill, Walter E., Drinkwater, Fred J., III, and Van Dyke, Rudolph D., Jr.: A Flight Study of the Effects on Tracking Performance of Changes in the Lateral-Oscillatory Characteristics of a Fighter Airplane. NACA RM A53H10, 1953.

Rathert, George A., Gadeberg, Burnett L., and Ziff, Howard L.: An Analysis of the Tracking Performances of Two Straight-Wing and Two Swept-Wing Fighter Airplanes with Fixed Sights in a Standardized Test Maneuver. NACA RM A53H12, 1953.



## Flying and Handling Characteristics (Continued)

General flying and handling qualities

Johnson, Joseph L.: A Theoretical Investigation of the Dynamic Lateral Oscillatory Stability of an Airplane Having a 60° Triangular Wing. NACA RM L9A04, 1950.

Queijo, M. J., and Michael, W. H., Jr.: Analysis of the Effects of Various Mass, Aerodynamic, and Dimensional Parameters on the Dynamic Lateral Stability of the Douglas D-558-2 Airplane. NACA RM L9A24, 1949.

Donlan, Charles J., and Kuhn, Richard E.: Estimated Transonic Flying Qualities of a Tailless Airplane Based on a Model Investigation. NACA RM L9D08, 1949.

Lovell, J. Calvin, and Lipson, Stanley: An Analysis of the Effect of Lift-Drag Ratio and Stalling Speed on Landing-Flare Characteristics. NACA TN 1930, 1949.

Faber, Stanley: Comparison of Effectiveness of Coordinated Turns and Level Sideslips for Correcting Lateral Displacement During Landing Approaches. NACA RM L9I29, 1949.

Polhamus, Edward C.: A Study of the Dynamic Stability of the Bell X-1 Research Airplane. NACA RM L9K04a, 1950.

Mitcham, Grady L., Stevens, Joseph E., and Norris, Harry P.: Aerodynamic Characteristics and Flying Qualities of a Tailless Triangular-Wing Airplane Configuration as Obtained from Flights of Rocket-Propelled Models at Transonic and Low Supersonic Speeds. NACA RM L9L07, 1950.

Talmage, Donald B., Reeder, John P., and Matthews, Ruth G.: Flight Investigation of Longitudinal Stability and Control Characteristics and Stalling Characteristics of a C-54D Airplane. NACA RM L9L21, 1950.

Bennett, Charles V.: Theoretical Investigation of the Dynamic Lateral Stability Characteristics of the Douglas X-3 Research Airplane, Study 41-B. NACA RM L50B28, 1950.

Sadoff, Melvin, and Sisk, Thomas R.: Longitudinal-Stability Characteristics of the Northrop X-4 Airplane (USAF No. 46-677). NACA RM A50D27, 1950.

## Flying and Handling Characteristics (Continued)

General flying and handling qualities (continued)

Michael, William H., Jr., and Queijo, M. J.: Supplementary Analysis of the Dynamic Lateral Stability Characteristics of the Bell X-2 Airplane as Affected by Variations in Mass and Aerodynamic Parameters. NACA RM L50E08, 1950.

Mitcham, Grady L., and Blanchard, Willard S., Jr.: Summary of the Aerodynamic Characteristics and Flying Qualities Obtained From Flights of Rocket-Propelled Models of an Airplane Configuration Incorporating a Sweptback Inversely Tapered Wing at Transonic and Low-Supersonic Speeds. NACA RM L50G18a, 1950.

Heinle, Donovan R.: Effect of Dihedral Change on the Theoretical Dynamic Lateral Response Characteristics of a Low-Aspect-Ratio Straight-Wing Supersonic Airplane. NACA RM A50H02, 1950.

Sadoff, Melvin, and Sisk, Thomas R.: Summary Report of Results Obtained During Demonstration Tests of the Northrop X-4 Airplanes. NACA RM A50I01, 1950.

Johnson, Joseph L.: The Effect of Mass Distribution on the Low-Speed Dynamic Lateral Stability and Control Characteristics of a Model With a 60° Triangular Wing. NACA RM L50K10, 1951.

Stough, Carl J., and Kauffman, William M.: A Flight Investigation and Analysis of the Lateral-Oscillation Characteristics of an Airplane. NACA TN 2195, 1950.

Hewes, Donald E.: The Effects of Mass Distribution on the Low-Speed Dynamic Lateral Stability and Control Characteristics of a Model with a 45° Sweptback Wing. NACA TN 2313, 1951.

Stillwell, W. H., and Wilmerding, J. V.: Flight Measurements With the Douglas D-558-II (BuAero No. 37974) Research Airplane, Dynamic Lateral Stability. NACA RM L51C23, 1951.

McNeill, Walter E., and Cooper, George E.: A Comparison of the Measured and Predicted Lateral Oscillatory Characteristics of a 35° Swept-Wing Fighter Airplane. NACA RM A51C28, 1951.

Sadoff, Melvin, Roden, William S., and Eggleston, John M.: Flight Investigation of the Longitudinal Stability and Control Characteristics of the Douglas D-558-I Airplane (BuAero No. 37972) at Mach Numbers up to 0.89. NACA RM L51D18, 1951.

## Flying and Handling Characteristics (Continued)

General flying and handling qualities (continued)

Sadoff, Melvin, Ankenbruck, Herman O., and O'Hare, William: Stability and Control Measurements Obtained During USAF-NACA Cooperative Flight-Test Program on the X-4 Airplane (USAF No. 46-677). NACA RM A51H09, 1951.

Campbell, John P., Hunter, Paul A., Hewes, Donald E., and Whitten, James B.: Flight Investigation of the Effect of Control Centering Springs on the Apparent Spiral Stability of a Personal-Owner Airplane. NACA Report 1092, 1952.

Williams, W. C., and Crossfield, A. S.: Handling Qualities of High-Speed Airplanes. NACA RM L52A08, 1952.

Crane, H. L., Beckhardt, A. R., and Matheny, C. E.: Flight Measurements of the Lateral Stability and Control Characteristics of a High-Speed Fighter Airplane. NACA RM L52B14, 1952.

Childs, Joan M.: Flight Measurements of the Stability Characteristics of the Bell X-5 Research Airplane in Sideslips at 59° Sweepback. NACA RM L52K13b, 1953.

Finch, Thomas W., and Briggs, Donald W.: Preliminary Results of Stability and Control Investigation of the Bell X-5 Research Airplane. NACA RM L52K18b, 1953.

Ankenbruck, Herman O., and Dahlen, Theodore E.: Some Measurements of Flying Qualities of a Douglas D-558-II Research Airplane During Flights to Supersonic Speeds. NACA RM L53A06, 1953.

Finch, Thomas W., and Walker, Joseph A.: Flight Determination of the Static Longitudinal Stability Boundaries of the Bell X-5 Research Airplane with 59° Sweepback. NACA RM L53A09b, 1953.

Sisk, Thomas R., and Mooney, John M.: Preliminary Measurements of Static Longitudinal Stability and Trim for the XF-92A Delta-Wing Research Airplane in Subsonic and Transonic Flight. NACA RM L53B06, 1953.

Bihle, William, Jr., and Stone, Ralph W., Jr.: Analytical Studies of the Response to Longitudinal Control of Three Airplane Configurations in Landing Approaches. NACA RM L53B10, 1953.

Flying and Handling Characteristics (Continued)

General flying and handling qualities (continued)

Finch, Thomas W.: A Flight Investigation of the Effects of Inclination of the Principal Axis of Inertia on the Dynamic Lateral Stability of the Republic XF-91 Airplane. NACA RM L53I28, 1953.

Ankenbruck, Herman O.: Determination of Longitudinal Stability in Supersonic Accelerated Maneuvers for the Douglas D-558-II Research Airplane. NACA RM L53J20, 1953.

Campbell, John P., and McKinney, Marion O., Jr.: A Preliminary Study of the Problem of Designing High-Speed Airplanes With Satisfactory Inherent Damping of the Dutch Roll Oscillation. NACA TN 3035, 1953.

Assadourian, Arthur, and Harper, John A.: Determination of the Flying Qualities of the Douglas DC-3 Airplane. NACA TN 3088, 1953.

## Flying and Handling Characteristics (Continued)

Control and airplane response statistics

Hamer, Harold A., and Henderson, Campbell: Time Histories of Maneuvers Performed with an F-86A Airplane During Squadron Operations. NACA RM L51K30, 1952.

Huss, Carl R., Andrews, William H., and Hamer, Harold A.: Time-History Data of Maneuvers Performed by a McDonnell F2H-2 Airplane During Squadron Operational Training. NACA RM L52B29, 1952.

Henderson, Campbell, Thornton, James, and Mayo, Alton: Time-History Data of Maneuvers Performed by an F-86A Airplane During Squadron Operational Training. NACA RM L52C19, 1952.

Huss, Carl R., Fisher, Raymond A., and Gainer, Patrick A.: Time-History Data of Maneuvers Performed by a Lockheed F-94B Airplane During Squadron Operational Training. NACA RM L53B27, 1953.

Hamer, Harold A., and Mayo, Alton P.: Time-History Data of Maneuvers Performed by a Republic F-84G Airplane During Squadron Operational Training. NACA RM L53C27, 1953.

Mayer, John P., Huss, Carl R., and Hamer, Harold A.: Preliminary Results From a Limited Investigation of the Use of Controls During Service Operational Training with Fighter Airplanes. NACA RM L53D22, 1953.

Cheatham, Donald C., Mathews, Charles W., and Harper, John A.: A Study of Visual Interception Attacks on a Nonmaneuvering Target. NACA RM L53E01, 1953.

Mayer, John P., Hamer, Harold A., and Huss, Carl R.: A Study of the Use of Controls and the Resulting Airplane Response During Service Training Operations of Four Jet Fighter Airplanes. NACA RM L53L28, 1954.

Automatic Control

Automatic stabilization

- Schade, Robert O.: Langley Free-Flight-Tunnel Investigation of the Automatic Lateral Stability Characteristics of a Model Equipped with a Gyro Stabilizing Unit That Provided Either Flicker-Type or Hunting Control. NACA RM L8K04, 1949.
- Sternfield, Leonard: Effect of Automatic Stabilization on the Lateral Oscillatory Stability of a Hypothetical Airplane at Supersonic Speeds. NACA TN 1818, 1949.
- Jones, Robert T., and Sternfield, Leonard: A Method for Predicting the Stability in Roll of Automatically Controlled Aircraft Based on the Experimental Determination of the Characteristics of an Automatic Pilot. NACA TN 1901, 1949.
- Beckhardt, Arnold R.: A Theoretical Investigation of the Effect on the Lateral Oscillations of an Airplane of an Automatic Control Sensitive to Yawing Accelerations. NACA TN 2006, 1950.
- Bennett, Charles V.: Theoretical Investigation of the Dynamic Lateral Stability Characteristics of the Douglas X-3 Research Airplane, Study 41-B. NACA RM L50B28, 1950.
- Sternfield, Leonard, and Gates, Ordway B., Jr.: A Theoretical Analysis of the Effect of Time Lag in an Automatic Stabilization System on the Lateral Oscillatory Stability of an Airplane. NACA Report 1018, 1951.
- Jones, Arthur L., and Briggs, Benjamin R.: A Survey of Stability Analysis Techniques for Automatically Controlled Aircraft. NACA TN 2275, 1951.
- Gates, Ordway B., Jr., and Schy, Albert A.: A Theoretical Method of Determining the Control Gearing and Time Lag Necessary for a Specified Damping of an Aircraft Equipped with a Constant-Time-Lag Autopilot. NACA TN 2307, 1951.
- Smaus, Louis H., and Stewart, Elwood C.: Practical Methods of Calculation Involved in the Experimental Study of an Autopilot and the Autopilot-Aircraft Combination. NACA TN 2373, 1951.
- Howard, Donald A.: Bench-Test Investigation of the Transient-Response Characteristics of Several Simulated Airplanes Incorporating an Autopilot Sensitive to Yawing Accelerations. NACA TN 2395, 1951.

## Automatic Control (Continued)

Automatic stabilization (continued)

Gates, Ordway B., Jr., and Sternfield, Leonard: Effect of an Autopilot Sensitive to Yawing Velocity on the Lateral Stability of a Typical High-Speed Airplane. NACA TN 2470, 1951.

Gates, Ordway B., Jr.: A Theoretical Analysis of the Effect of Several Auxiliary Damping Devices on the Lateral Stability and Controllability of a High-Speed Aircraft. NACA TN 2565, 1951.

Phillips, William H.: Theoretical Analysis of Some Simple Types of Acceleration Restrictors. NACA TN 2574, 1951.

Smaus, Louis H., Gore, Marvin R., and Waugh, Merle G.: A Comparison of Predicted and Experimentally Determined Longitudinal Dynamic Responses of a Stabilized Airplane. NACA TN 2578, 1951.

Jones, Arthur L., and White, John S.: Analogue-Computer Simulation of an Autopilot Servo System Having Nonlinear Response Characteristics. NACA TN 2707, 1952.

Schade, Robert O., and Hassell, James L., Jr.: The Effects on Dynamic Lateral Stability and Control of Large Artificial Variations in the Rotary Stability Derivatives. NACA TN 2781, 1952.

Gates, Ordway B., Jr., Schy, Albert A., and Woodling, C. H.: An Analysis of the Lateral Stability of the Douglas D-558-II Airplane Equipped with a Yaw Damper, With Special Reference to the Effect of Yaw-Damper Rate-Gyro Spin-Axis Orientation. NACA RM 152K14a, 1953.

Schy, Albert A., and Gates, Ordway B., Jr.: A Theoretical Method of Analyzing the Effects of Yaw-Damper Dynamics on the Stability of an Aircraft Equipped with a Second-Order Yaw Damper. NACA TN 2857, 1952.

Stokes, Fred H., and Matthews, J. T.: Theoretical Investigation of the Longitudinal Response Characteristics of a Swept-Wing Fighter Airplane Having a Pitch-Attitude Control System. NACA TN 2882, 1953.

Matthews, Howard F., and Schmidt, Stanley F.: A Theoretical Study of the Effect of Control-Deflection and Control-Rate Limitations on the Normal Acceleration and Roll Response of a Supersonic Interceptor. NACA RM A53B11, 1953.

Sternfield, Leonard: Several Factors Affecting Roll Control Systems of Interceptors. NACA RM 153I22a, 1953.

## Automatic Control (Continued)

Automatic stabilization (continued)

Phillips, William H.: Graphical Solution of Some Automatic-Control Problems Involving Saturation Effects With Application to Yaw Dampers for Aircraft. NACA TN 3034, 1953.

Phillips, William H., and Kuehnel, Helmut A.: Theoretical Investigation of Some Discontinuous Yaw Dampers. NACA RM 154B24a, 1954.



## Automatic Control (Continued)

Automatic control and guidance

Smaus, Louis H., Gore, Marvin R., and Waugh, Merle G.: A Comparison of Predicted and Experimentally Determined Longitudinal Dynamic Responses of a Stabilized Airplane. NACA TN 2578, 1951.

Turner, Howard L., White, John S., and Van Dyke, Rudolph D., Jr.: Flight Testing by Radio Remote Control-Flight Evaluation of a Beep-Control System. NACA RM A52A29, 1952.

Mathews, Charles W.: Some Factors Affecting Automatic Control of Airplanes. NACA RM L52A30, 1952.

Jones, Arthur L., and White, John S.: Analogue-Computer Simulation of an Autopilot Servo System Having Nonlinear Response Characteristics. NACA TN 2707, 1952.

Matthews, Howard F., and Schmidt, Stanley F.: A Theoretical Study of the Effect of Control-Deflection and Control-Rate Limitations on the Normal Acceleration and Roll Response of a Supersonic Interceptor. NACA RM A53B11, 1953.

Stokes, Fred H., and Matthews, J. T.: Theoretical Investigation of the Longitudinal Response Characteristics of a Swept-Wing Fighter Airplane Having a Pitch-Attitude Control System. NACA TN 2882, 1953.

Cheatham, Donald C., Mathews, Charles W., and Harper, John A.: A Study of Visual Interception Attacks on a Nonmaneuvering Airplane Target. NACA RM L53E01, 1953.

Phillips, William H.: Graphical Solution of Some Automatic-Control Problems Involving Saturation Effects with Application to Yaw Dampers for Aircraft. NACA TN 3034, 1953.

## Noise Inputs

Atmospheric turbulence

Mazelsky, Bernard, and Diederich, Franklin W.: Two Matrix Methods for Calculating Forcing Functions from Known Responses. NACA TN 1965, 1949.

Donely, Philip: Summary of Information Relating to Gust Loads on Airplanes. NACA Report 997, 1950.

Mazelsky, Bernard, and Diederich, Franklin W.: A Method of Determining the Effect of Airplane Stability on the Gust Load Factor. NACA TN 2035, 1950.

Bird, John D.: Some Calculations of the Lateral Response of Two Airplanes to Atmospheric Turbulence with Relation to the Lateral Snaking Problem. NACA RM L50F26a, 1950.

Houbolt, John C.: A Recurrence Matrix Solution for the Dynamic Response of Aircraft in Gusts. NACA Report 1010, 1951.

Kraft, Christopher C., Jr., and Assadourian, Arthur: Experimental Study of an Angle-of-Attack Vane Mounted Ahead of the Nose of an Airplane for Use as a Sensing Device for an Acceleration Alleviator. NACA TN 2415, 1951.

Phillips, William H., and Kraft, Christopher C., Jr.: Theoretical Study of Some Methods for Increasing the Smoothness of Flight Through Rough Air. NACA TN 2416, 1951.

Tolefson, H. B., and Gurtler, C. A.: An Investigation of a Method to Indicate Atmospheric Turbulence From an Airplane in Flight. NACA RM L50K29a, 1951.

Houbolt, John C., and Kordes, Eldon E.: Gust-Response Analysis of an Airplane Including Wing Bending Flexibility. NACA TN 2763, 1952.

Press, Harry, and Mazelsky, Bernard: A Study of the Application of Power-Spectral Methods of Generalized Harmonic Analysis to Gust Loads on Airplanes. NACA TN 2853, 1953.

Payne, Chester B.: A Flight Investigation of Some Effects of Automatic Control on Gust Loads. NACA RM L53E14a, 1953.

## Noise Inputs (Continued)

Atmospheric turbulence (continued)

McDougal, Robert L., Coleman, Thomas L., and Smith, Philip L.: The Variation of Atmospheric Turbulence with Altitude and Its Effect on Airplane Gust Loads. NACA RM L53G15a, 1953.

Donely, Philip, and Gillis, Clarence L.: Some Design Considerations Pertinent to the Rough-Air Behavior of Airplanes at Low Altitude. NACA RM L53J01b, 1953.

## Noise Inputs (Continued)

Radar

Stewart, Elwood C.: Application of Statistical Theory to the Reduction of Noise Effects in Missile Guidance. Paper Presented at NACA Conference on Aerodynamics of High-Speed Aircraft, July 8-10, 1953.

## Airplane Dynamics

Frequency response and transfer functions

Triplett, William C., and Van Dyke, Rudolph D., Jr.: Preliminary Flight Investigation of the Dynamic Longitudinal-Stability Characteristics of a  $35^\circ$  Swept-Wing Airplane. NACA RM A50J09a, 1950.

Triplett, William C., and Smith, G. Allan: Longitudinal Frequency-Response Characteristics of a  $35^\circ$  Swept-Wing Airplane as Determined from Flight Measurements, Including a Method for the Evaluation of Transfer Functions. NACA RM A51G27, 1951.

Angle, Ellwyn E., and Holleman, Euclid C.: Longitudinal Frequency-Response Characteristics of the Douglas D-558-I Airplane as Determined from Experimental Transient-Response Histories to a Mach Number of 0.90. NACA RM L51K28, 1952.

Holleman, Euclid C.: Longitudinal Frequency-Response and Stability Characteristics of the Douglas D-558-II Airplane as Determined from Transient Response to a Mach Number of 0.96. NACA RM L52E02, 1952.

Triplett, William C., and Brown, Stuart C.: Lateral and Directional Dynamic-Response Characteristics of a  $35^\circ$  Swept-Wing Airplane as Determined from Flight Measurements. NACA RM A52I17, 1952.

Jaquet, Byron M.: Calculated Lateral Frequency Response and Lateral Oscillatory Characteristics for Several High-Speed Airplanes in Various Flight Conditions. NACA RM L53J01, 1953.

## Airplane Dynamics (Continued)

Longitudinal

Polhamus, Edward C.: A Study of the Dynamic Stability of the Bell X-1 Research Airplane. NACA RM L9K04a, 1950.

Gillis, Clarence L., Peck, Robert F., and Vitale, A. James: Preliminary Results From a Free-Flight Investigation at Transonic and Supersonic Speeds of the Longitudinal Stability and Control Characteristics of an Airplane Configuration with a Thin Straight Wing of Aspect Ratio 3. NACA RM L9K25a, 1950.

Mitcham, Grady L., Stevens, Joseph E., and Norris, Harry P.: Aerodynamic Characteristics and Flying Qualities of a Tailless Triangular-Wing Airplane Configuration as Obtained From Flights of Rocket-Propelled Models at Transonic and Low Supersonic Speeds. NACA RM L9L07, 1950.

Bennett, Charles V.: Theoretical Investigation of the Dynamic Lateral Stability Characteristics of the Douglas X-3 Research Airplane, Study 41-B. NACA RM L50B28, 1950.

Schade, Robert O.: Free-Flight-Tunnel Investigation of Dynamic Longitudinal Stability as Influenced by the Static Stability Measured in Wind-Tunnel Force Tests Under Conditions of Constant Thrust and Constant Power. NACA TN 2075, 1950.

Sadoff, Melvin, and Sisk, Thomas R.: Longitudinal-Stability Characteristics of the Northrop X-4 Airplane (USAF No. 46-677). NACA RM A50D27, 1950.

Matheny, Cloyce E.: Maximum Pitching Angular Accelerations of Airplanes Measured in Flight. NACA TN 2103, 1950.

Mitcham, Grady L., and Blanchard, Willard S., Jr.: Summary of the Aerodynamic Characteristics and Flying Qualities Obtained From Flights of Rocket-Propelled Models of an Airplane Configuration Incorporating a Sweptback Inversely Tapered Wing at Transonic and Low-Supersonic Speeds. NACA RM L50G18a, 1950.

D'Aiutolo, Charles T., and Mason, Homer P.: Preliminary Results of the Flight Investigation Between Mach Numbers of 0.80 and 1.36 of a Rocket-Powered Model of a Supersonic Airplane Configuration Having a Tapered Wing with Circular-Arc Sections and 40° Sweepback. NACA RM L50H29a, 1950.

## Airplane Dynamics (Continued)

Longitudinal (continued)

Sadoff, Melvin, and Sisk, Thomas R.: Summary Report of Results Obtained During Demonstration Tests of the Northrop X-4 Airplanes. NACA RM A50IO1, 1950.

Angle, Ellwyn E., and Holleman, Euclid C.: Determination of Longitudinal Stability of the Bell X-1 Airplane From Transient Responses at Mach Numbers up to 1.12 at Lift Coefficients of 0.3 and 0.6. NACA RM L50IO6a, 1950.

Sadoff, Melvin, Ankenbruck, Herman O., and O'Hare, William: Stability and Control Measurements Obtained During USAF-NACA Cooperative Flight-Test Program on the X-4 Airplane (USAF No. 46-677). NACA RM A51HO9, 1951.

Mitcham, Grady L., Crabill, Norman L., and Stevens, Joseph E.: Flight Determination of the Drag and Longitudinal Stability and Control Characteristics of a Rocket-Powered Model of a 60° Delta-Wing Airplane From Mach Numbers of 0.75 to 1.70. NACA RM L51IO4, 1951.

Anderson, Seth B., and Bray, Richard S.: A Flight Evaluation of the Longitudinal Stability Characteristics Associated with the Pitch-Up on a Swept-Wing Airplane in Maneuvering Flight at Transonic Speeds. NACA RM A51II2, 1951.

Vitale, A. James, McFall, John C., Jr., and Morrow, John D.: Longitudinal Stability and Drag Characteristics at Mach Numbers From 0.75 to 1.5 of an Airplane Configuration Having a 60° Swept Wing of Aspect Ratio 2.24 as Obtained from Rocket-Propelled Models. NACA RM L51KO6, 1952.

Mitchell, Jesse L.: The Static and Dynamic Longitudinal Stability Characteristics of Some Supersonic Aircraft Configurations. NACA RM L52A10a, 1952.

Gillespie, Warren, Jr., and Dietz, Albert E.: Use of an Aerodynamically Pulsed All-Movable Horizontal Tail to Obtain Longitudinal Characteristics of Rocket-Powered Models in Free Flight and Some Initial Results from an Arrow-Wing-Body-Tail Configuration. NACA RM L52C10, 1952.

Bihrlé, William, Jr., and Stone, Ralph W., Jr.: Analytical Studies of the Response to Longitudinal Control of Three Airplane Configurations in Landing Approaches. NACA RM L53B10, 1953.

## Airplane Dynamics (Continued)

Longitudinal (continued)

- Drake, Hubert M., Robinson, Glenn H., and Kuhl, Albert E.: Loads Experienced in Flights of Two Swept-Wing Research Airplanes in the Angle-Of-Attack Range of Reduced Stability. NACA RM L53D16, 1953.
- Holleman, Euclid C., Evans, John H., and Triplett, William C.: Preliminary Flight Measurements of the Dynamic Longitudinal Stability Characteristics of the Convair XF-92A Delta-Wing Airplane. NACA RM L53E14, 1953.
- Arbic, Richard G., and Gillespie, Warren, Jr.: Free-Flight Longitudinal-Stability Investigation Including Some Effects of Wing Elasticity From Mach Numbers of 0.85 to 1.34 of a Tailless Missile Configuration Having a 45° Sweptback Wing of Aspect Ratio 5.5. NACA RM L53F18, 1953.
- Campbell, George S., and Weil, Joseph: The Interpretation of Nonlinear Pitching Moments in Relation to the Pitch-Up Problem. NACA RM L53IO2, 1953.
- Fischel, Jack: Effect of Wing Slats and Inboard Wing Fences on the Longitudinal Stability Characteristics of the Douglas D-558-II Research Airplane in Accelerated Maneuvers at Subsonic and Transonic Speeds. NACA RM L53L16, 1954.
- Kehlet, Alan B.: Aerodynamic Characteristics at Transonic and Supersonic Speeds of a Rocket-Propelled Airplane Configuration Having a 52.5° Delta Wing and a Low, Swept Horizontal Tail. NACA RM L54A20, 1954.



## Airplane Dynamics (Continued)

Lateral

Johnson, Joseph L.: A Theoretical Investigation of the Dynamic Lateral Oscillatory Stability of an Airplane Having a  $60^\circ$  Triangular Wing. NACA RM L9A04, 1950.

Queijo, M. J., and Michael, W. H., Jr.: Analysis of the Effects of Various Mass, Aerodynamic, and Dimensional Parameters on the Dynamic Lateral Stability of the Douglas D-558-2 Airplane. NACA RM L9A24, 1949.

Sjoberg, Sigurd A.: Preliminary Measurements of the Dynamic Lateral Stability Characteristics of the Douglas D-558-II (BuAero No. 37974) Airplane. NACA RM L9G18, 1949.

Faber, Stanley: Comparison of Effectiveness of Coordinated Turns and Level Sideslips for Correcting Lateral Displacement During Landing Approaches. NACA RM L9I29, 1949.

Polhamus, Edward C.: A Study of the Dynamic Stability of the Bell X-1 Research Airplane. NACA RM L9K04a, 1950.

Bennett, Charles V.: Theoretical Investigation of the Dynamic Lateral Stability Characteristics of the Douglas X-3 Research Airplane, Study 41-B. NACA RM L50B28, 1950.

Michael, William H., Jr., and Queijo, M. J.: Supplementary Analysis of the Dynamic Lateral Stability Characteristics of the Bell X-2 Airplane as Affected by Variations in Mass and Aerodynamic Parameters. NACA RM L50E08, 1950.

Heinle, Donovan R.: Effect of Dihedral Change on the Theoretical Dynamic Lateral Response Characteristics of a Low-Aspect-Ratio Straight-Wing Supersonic Airplane. NACA RM A50H02, 1950.

Rathert, George A., Jr., Rolls, L. Stewart, Winograd, Lee, and Cooper, George E.: Preliminary Flight Investigation of the Wing-Dropping Tendency and Lateral Control Characteristics of a  $35^\circ$  Swept-Wing Airplane at Transonic Mach Numbers. NACA RM A50H03, 1950.

Queijo, M. J., and Goodman, Alex: Calculations of the Dynamic Lateral Stability Characteristics of the Douglas D-558-II Airplane in High-Speed Flight for Various Wing Loadings and Altitudes. NACA RM L50H16a, 1950.

## Airplane Dynamics (Continued)

Lateral (continued)

Sadoff, Melvin, and Sisk, Thomas R.: Summary Report of Results Obtained During Demonstration Tests of the Northrop X-4 Airplanes. NACA RM A50I01, 1950.

Stough, Carl J., and Kauffman, William M.: A Flight Investigation and Analysis of the Lateral-Oscillation Characteristics of an Airplane. NACA TN 2195, 1950.

Drake, Hubert M., and Clagett, Harry P.: Effects on the Snaking Oscillations of the Bell X-1 Airplane of a Trailing-Edge Bulb on the Rudder. NACA RM 150K01a, 1951.

Johnson, Joseph L.: The Effect of Mass Distribution on the Low-Speed Dynamic Lateral Stability and Control Characteristics of a Model With a 60° Triangular Wing. NACA RM 150K10, 1951.

Bird, John D., and Jaquet, Byron M.: A Study of the Use of Experimental Stability Derivatives in the Calculation of the Lateral Disturbed Motions of a Swept-Wing Airplane and Comparison With Flight Results. NACA Rep. 1031, 1951. (Supersedes NACA TN 2013.)

Sternfield, Leonard: Some Effects of Nonlinear Variation in the Directional-Stability and Damping-in-Yawing Derivatives on the Lateral Stability of an Airplane. NACA Report 1042, 1951.

Hewes, Donald E.: The Effects of Mass Distribution on the Low-Speed Dynamic Lateral Stability and Control Characteristics of a Model With a 45° Sweptback Wing. NACA TN 2313, 1951.

Anderson, Seth B., Ernst, Edward A., and Van Dyke, Rudolph D., Jr.: Flight Measurements of the Wing-Drooping Tendency of a Straight Wing Jet Airplane at High Subsonic Mach Numbers. NACA RM A51B28, 1951.

Stillwell, W. H., and Wilmerding, J. V.: Flight Measurements With the Douglas D-558-II (BuAero No. 37974) Research Airplane--Dynamic Lateral Stability. NACA RM 151C23, 1951.

McNeill, Walter E., and Cooper, George E.: A Comparison of the Measured and Predicted Lateral Oscillatory Characteristics of a 35° Swept-Wing Fighter Airplane. NACA RM A51C28, 1951.

## Airplane Dynamics (Continued)

Lateral (continued)

- Johnson, Harold I., and Faber, Stanley: An Investigation of Single-Degree-of-Freedom Snaking Oscillations on a Model of a High-Speed Research Airplane by the NACA Wing-Flow Method. NACA RM L51E14, 1951.
- Sadoff, Melvin, Ankenbruck, Herman O., and O'Hare, William: Stability and Control Measurements Obtained During USAF-NACA Cooperative Flight-Test Program on the X-4 Airplane (USAF No. 46-677). NACA RM A51H09, 1951.
- Schy, Albert A.: A Theoretical Analysis of the Effects of Fuel Motion on Airplane Dynamics. NACA Report 1080, 1952.
- Crane, H. L., Beckhardt, A. R., and Matheny, C. E.: Flight Measurements of the Lateral Stability and Control Characteristics of a High-Speed Fighter Airplane. NACA RM L52B14, 1952.
- Heinle, Donovan R., and McNeill, Walter E.: Correlation of Predicted and Experimental Lateral Oscillation Characteristics for Several Airplanes. NACA RM A52J06, 1952.
- Ankenbruck, Herman O., and Dahlen, Theodore E.: Some Measurements of Flying Qualities of a Douglas D-558-III Research Airplane During Flights to Supersonic Speeds. NACA RM L53A06, 1953.
- Jaquet, Byron M., and Fletcher, H. S.: Lateral Oscillatory Characteristics of the Republic F-91 Airplane Calculated by Using Low-Speed Experimental Static and Rotary Derivatives. NACA RM L53G01, 1953.
- Finch, Thomas W.: A Flight Investigation of the Effects of Inclination of the Principal Axis of Inertia on the Dynamic Lateral Stability of the Republic XF-91 Airplane. NACA RM L53I28, 1953.
- Campbell, John P., and McKinney, Marion O., Jr.: A Preliminary Study of the Problem of Designing High-Speed Airplanes With Satisfactory Inherent Damping of the Dutch Roll Oscillation. NACA TN 3035, 1953.
- Kehlet, Alan B.: Aerodynamic Characteristics at Transonic and Supersonic Speeds of a Rocket-Propelled Airplane Configuration Having a  $52.5^\circ$  Delta Wing and a Low, Swept Horizontal Tail. NACA RM L54A20, 1954.

11

12

13

14

15

16

17

18

19

MISSILE FLIGHT CONTROL



## Missile Flight Control

Dynamic stability and control

Kraft, Christopher C., Jr., and Mathews, Charles W.: Determination by the Free-Fall Method of the Drag and Longitudinal Stability and Control Characteristics of a Canard Model at Transonic Speeds. NACA RM L50D04, 1950.

Zarovsky, Jacob, and Gardiner, Robert A.: Flight Investigation of a Roll-Stabilized Missile Configuration at Varying Angles of Attack at Mach Numbers Between 0.8 and 1.79. NACA RM L50H21, 1951.

Bond, Aleck C.: Experimental Investigation of a Flat-Plate Paddle Jet Vane Operating on a Rocket Jet. NACA RM L50I20, 1950.

Niewald, Roy J., and Moul, Martin T.: The Longitudinal Stability, Control Effectiveness, and Control Hinge-Moment Characteristics Obtained From a Flight Investigation of a Canard Missile Configuration at Transonic and Supersonic Speeds. NACA RM L50I27, 1950.

Wineman, Andrew R.: Preliminary Investigation of a Fin-Actuated Jet-Vane Control System for Stabilization of Rocket-Powered Models. NACA RM L50K17, 1951.

Sandahl, Carl A., and Hall, James R.: Free-Flight Investigation of the Longitudinal Stability and Control of a Rocket-Propelled Missile Model Having Cruciform, Triangular, Interdigitated Wings and Tails. NACA RM L51B15, 1951.

Hall, James R.: Free-Flight Investigation of Longitudinal Stability and Control of a Rocket-Propelled Missile Model Having Cruciform, Triangular, Inline Wings and Tails. NACA RM L51J17, 1952.

Mead, Merrill H.: Observations of Unsteady Flow Phenomena for an Inclined Body Fitted with Stabilizing Fins. NACA RM A51K05, 1952.

Matthews, Howard F., and McNeill, Walter E.: The Effect of Various Missile Characteristics on Airframe Frequency Response. NACA RM A51L17a, 1952.

Moul, Martin T., and Wineman, Andrew R.: Longitudinal Stability and Control Characteristics from a Flight Investigation of a Cruciform Canard Missile Configuration Having an Exposed Wind-Canard Area Ratio of 16:1. NACA RM L52D24a, 1952.

## Missile Flight Control (Continued)

Dynamic stability and control (continued)

- Curfman, Howard J., Jr., and Grigsby, Carl E.: Longitudinal Stability and Control Characteristics of a Canard Missile Configuration for Mach Numbers from 1.1 to 1.93 as Determined From Free-Flight and Wind-Tunnel Investigations. NACA RM L52F06, 1952.
- Giladett, Leo V., and Wineman, Andrew R.: Investigation of Vanes Immersed in the Jet of a Solid-Fuel Rocket Motor. NACA RM L52F12, 1952.
- Purser, Paul E., and Stevens, Joseph E.: Exploratory Rocket Flight Tests to Investigate the Use of a Freely Spinning Monoplane Tail for Stabilizing a Body. NACA RM L52I05a, 1952.
- Moul, Martin T.: Flight Investigation of a Supersonic Canard Missile Equipped with an Auxiliary Damping-in-Pitch Control System. NACA RM L52K14b, 1953.
- Bond, Aleck C., and Swanson, Andrew G.: Rocket-Model Investigation of the Longitudinal Stability, Drag, and Duct Performance of a 60° Delta-Wing Canard Aircraft with Twin Side Inlets at Mach Numbers from 0.80 to 1.70. NACA RM L53D10a, 1954.
- Seaberg, Ernest C., and Geller, Edward S.: Flight Investigation of the Aerodynamic Derivatives and Performance of Control Systems of Two Full-Scale Heat Homing Bombs. NACA RM L53E22, 1954.
- Arbic, Richard G., and Gillespie, Warren, Jr.: Free-Flight Longitudinal-Stability Investigation Including Some Effects of Wing Elasticity from Mach Numbers of 0.85 to 1.34 of a Tailless Missile Configuration Having a 45° Sweptback Wing of Aspect Ratio 5.5. NACA RM L53F18, 1953.
- Moul, Martin T., and Baber, Hal T., Jr.: A Flight Investigation at Mach Numbers from 0.67 to 1.81 of the Longitudinal Stability and Control Characteristics of a 60° Delta-Wing Missile Configuration Having an All-Movable Tail. NACA RM L53G29, 1953.
- Bergrun, Norman R., and Nickel, Paul A.: A Flight Investigation of the Effect of Steady Rolling on the Natural Frequencies of a Body-Tail Combination. NACA TN 2985, 1953.
- Curfman, Howard J., Strass, H. Kurt, and Crane, Harold L.: Investigations Toward Simplification of Missile Control Systems. NACA RM L53I21a, 1953.



## Missile Flight Control (Continued)

Dynamic stability and control (continued)

Seaberg, Ernest C.: Three-Degree-of-Freedom Evaluation of the Longitudinal Transfer Functions of a Supersonic Canard Missile Configuration Including Changes in Forward Speed. NACA RM L54C02, 1954.

Gillespie, Warren, Jr., and Dietz, Albert E.: Rocket-Powered Model Investigation of Lift, Drag, and Stability of a Body-Tail Configuration at Mach Numbers From 0.8 to 2.3 and Angles of Attack Between  $\pm 6.5^\circ$ . NACA RM L54C04, 1954.

## Missile Flight Control (Continued)

Automatic control and guidance

Curfman, Howard J., Jr.: Theoretical Analysis of the Rolling Motions of Aircraft Using a Flicker-Type Automatic Roll Stabilization System Having a Displacement-Plus-Rate Response. NACA RM L8K23a, 1949.

Teitelbaum, Jerome M., and Seaberg, Ernest C.: An Experimental Investigation of a Gyro-Actuated Roll Control System Installed in a Subsonic Test Vehicle. NACA RM L9B24a, 1949.

Seaberg, Ernest C.: Laboratory Investigation of an Autopilot Utilizing a Mechanical Linkage with a Dead Spot to Obtain an Effective Rate Signal. NACA RM L9F15a, 1949.

Gardiner, Robert A., and Zarovsky, Jacob: Rocket-Powered Flight Test of a Roll-Stabilized Supersonic Missile Configuration. NACA RM L9K01a, 1950.

Curfman, Howard J., Jr., and Gardiner, Robert A.: Method for Determining the Frequency-Response Characteristics of an Element or System From the System Transient Output Response to a Known Input Function. NACA Report 984, 1950.

Gardiner, Robert A., Zarovsky, Jacob, and Ankenbruck, H. O.: An Investigation of the Stability of a System Composed of a Subsonic Canard Airframe and a Canted-Axis Gyroscope Automatic Pilot. NACA TN 2004, 1950.

Nelson, Walter C., and Passera, Anthony L.: A Theoretical Investigation of the Influence of Auxiliary Damping in Pitch on the Dynamic Characteristics of a Proportionally Controlled Supersonic Canard Missile Configuration. NACA RM L50F30, 1950.

Zarovsky, Jacob, and Gardiner, Robert A.: Flight Investigation of a Roll-Stabilized Missile Configuration at Varying Angles of Attack at Mach Numbers Between 0.8 and 1.79. NACA RM L50H21, 1951.

Seaberg, Ernest C.: Theoretical Investigation of a Proportional-Plus-Flicker Automatic Pilot. NACA RM L50I19, 1950.

Curfman, Howard J., Jr.: Theoretical and Analog Studies of the Effects of Nonlinear Stability Derivatives on the Longitudinal Motions of an Aircraft in Response to Step Control Deflections and to the Influence of Proportional Automatic Control. NACA RM L50L11, 1951.

## Missile Flight Control (Continued)

Automatic control and guidance (continued)

Seaberg, Ernest C., and Smith, Earl F.: Theoretical Investigation of an Automatic Control System with Primary Sensitivity to Normal Accelerations as Used to Control a Supersonic Canard Missile Configuration. NACA RM L51D23, 1951.

Zarovsky, Jacob: System Analyses and Autopilot Design for Automatic Roll Stabilization of a Supersonic Pilotless Aircraft. NACA RM L51E07, 1951.

Matthews, Howard F., and Stewart, Elwood C.: A Comparison of the Calculated Maximum-Maneuver Response Characteristics of Three Air-to-Air, Beam-Rider, Guided Missiles Having Different Lift Ratios. NACA RM A51F18, 1951.

Passera, Anthony L.: A Theoretical Investigation of the Influence of Autopilot Natural Frequency Upon the Dynamic Performance Characteristics of a Supersonic Canard Missile Configuration with a Pitch-Attitude Control System. NACA RM L51H02, 1951.

Matthews, Howard F., and McNeill, Walter E.: The Effect of Various Missile Characteristics on Airframe Frequency Response. NACA RM A51L17a, 1952.

Cole, Henry A., Jr., and Abramovitz, Marvin: Theoretical Investigation of the Stability at Negative Static Margins of a Supersonic Missile with an Autopilot Sensitive to Pitch Angle and Pitching Velocity. NACA RM A52A14, 1952.

Gates, Ordway B., Jr., and Schy, Albert A.: A Theoretical Investigation of the Effect of a Target Seeker Sensitive to Pitch Attitude on the Dynamic Stability and Response Characteristics of a Supersonic Canard Missile Configuration. NACA RM L52E19, 1952.

Abramovitz, Marvin: Theoretical Investigation of the Performance of Proportional Navigation Guidance Systems - Effect of Method of Positioning the Radar Antenna on the Speed of Response. NACA RM A52E27, 1952.

Abramovitz, Marvin: Theoretical Investigation of the Performance of Proportional Navigation Guidance Systems - Effect of Missile Configuration on the Speed of Response. NACA RM A52J22, 1953.

Moul, Martin T.: Flight Investigation of a Supersonic Canard Missile Equipped with an Auxiliary Damping-in-Pitch Control System. NACA RM L52K14b, 1953.

## Missile Flight Control (Continued)

Automatic control and guidance (continued)

Passera, Anthony L., and Nason, Martin L.: The Effect of Control-Surface-Servo Natural Frequency on the Dynamic Performance Characteristics of an Acceleration Control System Applied to a Supersonic Missile. NACA RM L53G23a, 1953.

Stewart, Elwood C.: Application of Statistical Theory to the Reduction of Noise Effects in Missile Guidance. Paper presented at NACA Conference on Aerodynamics of High-Speed Aircraft, July 8-10, 1953.

Gardiner, Robert A.: A Combined Aerodynamic and Guidance Approach for a Simple Homing System. NACA RM L53I10a, 1953.

Curfman, Howard J., Jr., Strass, H. Kurt, and Crane, Harold L.: Investigations Toward Simplification of Missile Control Systems. NACA RM L53I21a, 1953.

Passera, Anthony L., and Bridgland, Thomas F., Jr.: A Theoretical Investigation of the Influence of the Control-Surface-Servo Natural Frequency Upon the Transient Characteristics of a Flight-Path-Angle Control System Incorporating a Supersonic Missile With Variations in Static Margin and Flight Condition. NACA RM L53J15, 1953.

ENGINE CONTROLS

— 2 —

•

•

•

•

•

•

## Turbojet

- LaVerne, Melvin E., and Boksenbom, Aaron S.: Methods for Determining Frequency Response of Engines and Control Systems from Transient Data. NACA TN 1935, 1949.
- Boksenbom, Aaron S., and Hood, Richard: General Algebraic Method Applied to Control Analysis of Complex Engine Types. NACA TN 1908, 1949.
- Bell, Arthur H., and Farmer, J. Elmo: Transient Operating Characteristics of a Turbojet Engine when Subjected to Step Changes in Fuel Flow. NACA RM E9K25a, 1950.
- Otto, Edward W., and Taylor, Burt L., III: Dynamics of a Turbojet Engine Considered as a Quasi-Static System. NACA TN 2091, 1950.
- Feder, Melvin S., and Hood, Richard: Analysis for Control Application of Dynamic Characteristics of Turbojet Engine With Tail-Pipe Burning. NACA TN 2183, 1950.
- Conrad, E. William, Bloomer, Harry E., and Sobolewski, Adam E.: Altitude Operational Characteristics of a Prototype Model of the J47D (RX1-1 and RX1-3) Turbojet Engines With Integrated Electronic Control. NACA RM E51E08, 1952.
- Vincent, K. R., Huntley, S. C., and Wilsted, H. D.: Comparison of Locked-Rotor and Windmilling Drag Characteristics of an Axial-Flow-Compressor Type Turbojet Engine. NACA RM E51K15, 1952.
- Delio, Gene J., and Rosenzweig, Solomon: Dynamic Response at Altitude of a Turbojet Engine With Variable Area Exhaust Nozzle. NACA RM E51K19, 1952.
- Gold, Harold, and Rosenzweig, Solomon: A Method for Estimating Speed Response of Gas-Turbine Engines. NACA RM E51K21, 1952.
- Boksenbom, Aaron S., and Hood, Richard: Automatic Control Systems Satisfying Certain General Criteria on Transient Behavior. NACA Report 1068, 1952.
- Hood, Richard, and Phillips, William E., Jr.: Dynamic Response of Turbine-Blade Temperature to Exhaust-Gas Temperature for Gas-Turbine Engines. NACA RM E52A14, 1952.
- Delio, Gene J.: Evaluation of Three Methods for Determining Dynamic Characteristics of a Turbojet Engine. NACA TN 2634, 1952.

## Turbojet (Continued)

- Vasu, George, and Hinde, William L.: Effect of Engine and Control Limits on Steady-State and Transient Performance of Turbojet Engine with Variable-Area Exhaust Nozzle. NACA RM E52E23, 1953.
- Heppler, Herbert, Novik, David, and Dandois, Marcel: Some Dynamic Characteristics of a Turbojet Engine for Large Accelerations. NACA RM E52H04, 1952.
- Gold, Harold, Otto, Edward W., and Ransom, Victor L.: Dynamics of Mechanical Feedback-Type Hydraulic Servomotors Under Inertia Load. NACA Report 1125, 1953.
- Sobolewski, Adam E., and Lubick, Robert J.: Altitude Operational Characteristics of Prototype J40-WE-8 Turbojet Engine. NACA RM E52L29, 1953.
- Renas, P. E., Harvey, R. W., Sr., and Jansen, E. T.: Altitude Starting Characteristics of an Afterburner with Autoignition and Hot-Streak Ignition. NACA RM E53B02, 1953.
- Schmidt, Ross D., Vasu, George, and McGraw, Edward W.: Determination of Surge and Stall Limits of an Axial-Flow Turbojet Engine for Control Applications. NACA RM E53B10, 1953.
- Craig, R. T., Vasu, George, and Schmidt, R. D.: Dynamic Characteristics of a Single-Spool Turbojet Engine. NACA RM E53C17, 1953.
- Boksenbom, Aaron S., Novik, David, and Heppler, Herbert: Optimum Controllers for Linear Closed-Loop Systems. NACA TN 2939, 1953.
- English, Robert E., and Cavicchi, Richard H.: Analysis of Turbine Stator Adjustment Required for Compressor Design-Point Operation in High Mach Number Supersonic Turbojet Engines. NACA RM E53G06, 1953.
- Oppenheimer, Frank L., and Pack, George J.: Investigation of Acceleration Characteristics of a Single-Spool Turbojet Engine. NACA RM E53H26, 1953.
- Dandois, Marcel, and Novik, David: Application of Linear Analysis to an Experimental Investigation of a Turbojet Engine with Proportional Speed Control. NACA TN 2642, 1953.
- English, Robert E., and Cavicchi, Richard H.: Analysis of Off-Design Operation of High Mach Number Supersonic Turbojet Engines. NACA RM E53J01, 1954.



## Turbojet (Continued)

Gold, Harold, and Otto, Edward W.: An Analytical and Experimental Study of the Transient Response of a Pressure-Regulating Relief Valve in a Hydraulic Circuit. NACA TN 3102, 1954.

Pack, George J., and Phillips, W. E., Jr.: Analog Study of Interacting and Non-Interacting Multiple-Loop Control Systems for Turbojet Engines. NACA TN 3112, 1954.

## Turbine Propeller

- Taylor, Burt L., III, and Oppenheimer, Frank L.: Investigation of Frequency-Response Characteristics of Engine Speed for a Typical Turbine-Propeller Engine. NACA TN 2184, 1950.
- Krebs, Richard P., Himmel, Seymour C., Blivas, Darnold, and Shames, Harold: Dynamic Investigation of Turbine-Propeller Engine Under Altitude Conditions. NACA RM E50J24, 1950.
- Taylor, Burt L., III, and Oppenheimer, Frank L.: Investigation of Frequency-Response Characteristics of Engine Speed for a Typical Turbine-Propeller Engine. NACA Report 1017, 1951.
- Lazar, James, and DeRocher, Wilfred L., Jr.: Correlation of Analog Solutions with Experimental Sea-Level Transient Data for Controlled Turbine-Propeller Engine, Including Analog Results at Altitudes. NACA RM E51B08, 1951.
- Vasu, George, and Pack, George J.: Analysis of Experimental Sea-Level Transient Data and Analog Method of Obtaining Altitude Response for Turbine-Propeller Engine with Relay-Type Speed Control. NACA RM E51D26, 1951.
- Oppenheimer, Frank L., and Jacques, James R.: Investigation of Dynamic Characteristics of a Turbine-Propeller Engine. NACA RM E51F15, 1951.
- Krebs, Richard P.: Preliminary Investigation of the Control of a Gas-Turbine Engine for a Helicopter. NACA RM E51F19, 1951.
- Sutor, Alois T., and Zipkin, Morris A.: Method of Matching Components and Predicting Performance of a Turbine-Propeller Engine. NACA TN 2450, 1951.
- Gold, Harold, and Rosenzweig, Solomon: A Method for Estimating Speed Response of Gas-Turbine Engines. NACA RM E51K21, 1952.
- Sanders, John C.: Influence of Rotor-Engine Torsional Oscillation on Control of Gas-Turbine Engine Geared to Helicopter Rotor. NACA TN 3027, 1953.
- Essig, R. H., and Schulze, F. W.: Altitude Performance And Operational Characteristics of an XT38-A-2 Turboprop Engine. NACA RM E53L18a, 1954.

## Ram-Jet

Faget, Maxime A.: A Proposed Ram-Jet Control System Operated By Use Of Diffuser Pressure Recovery. NACA RM L52E05b, 1952.

Himmel, Seymour C.: Some Control Considerations for Ram-Jet Engines. NACA RM E52F10, 1952.

Disher, John H., Kohl, Robert C., and Jones, Merle L.: Free-Flight Performance of a Rocket-Boosted, Air-Launched 16-Inch-Diameter Ram-Jet Engine at Mach Numbers up to 2.20. NACA RM E52L02, 1953.

Dettwyler, Rudolph, and Trout, Otto F., Jr.: Flight and Preflight Evaluation of an Automatic Thrust Coefficient Control System in a Twin-Engine Ram-Jet Missile. NACA RM L53K13, 1953.



ANALYTICAL TECHNIQUES



## Aircraft Dynamics

Sternfield, Leonard, and Gates, Ordway B., Jr.: A Method of Calculating a Stability Boundary that Defines a Region of Satisfactory Period-Damping Relationship of the Oscillatory Mode of Motion. NACA TN 1859, 1949.

Mokrzycki, G. A.: Application of the Laplace Transformation to the Solution of the Lateral and Longitudinal Stability Equations. NACA TN 2002, 1950.

Neihouse, Anshal I., and Pepoon, Philip W.: Dynamic Similitude Between a Model and a Full-Scale Body for Model Investigation at Full-Scale Mach Number. NACA TN 2062, 1950.

Murray, Harry E., and Grant, Frederick C.: Method of Calculating the Lateral Motions of Aircraft Based on the Laplace Transform. NACA TN 2129, 1950.

Sternfield, Leonard: Some Effects of Nonlinear Variation in the Directional-Stability and Damping-in-Yawing Derivatives on the Lateral Stability of an Airplane. NACA Report 1042, 1951.

Campbell, John P., and McKinney, Marion O.: Summary of Methods for Calculating Dynamic Lateral Stability and Response and for Estimating Lateral Stability Derivatives. NACA TN 2409, 1951.

Schy, Albert A.: A Theoretical Analysis of the Effects of Fuel Motion on Airplane Dynamics. NACA Report 1080, 1952.

Margolis, Kenneth, and Bobbitt, Percy J.: Theoretical Calculations of the Stability Derivatives at Supersonic Speeds for a High-Speed Airplane Configuration. NACA RM 153G17, 1953.

Campbell, John P., and McKinney, Marion O., Jr.: A Preliminary Study of the Problem of Designing High-Speed Airplanes With Satisfactory Inherent Damping of the Dutch Roll Oscillation. NACA TN 3035, 1953.

Canning, Thomas N.: A Simple Mechanical Analogue for Studying the Dynamic Stability of Aircraft Having Nonlinear Moment Characteristics. NACA TN 3125, 1954.

Gates, Ordway B., Jr., and Woodling, C. H.: A Method for Estimating Variations in the Roots of the Lateral-Stability Quartic Due to Changes in Mass and Aerodynamic Parameters of an Airplane. NACA TN 3134, 1953.

## Flight Analysis Techniques

- Mazelsky, Bernard, and Diederich, Franklin W.: Two Matrix Methods for Calculating Forcing Functions From Known Responses. NACA TN 1965, 1949.
- Gillis, Clarence L., Peck, Robert F., and Vitale, A. James: Preliminary Results From a Free-Flight Investigation at Transonic and Supersonic Speeds of the Longitudinal Stability and Control Characteristics of an Airplane Configuration with a Thin Straight Wing of Aspect Ratio 3. NACA RM L9K25a, 1950.
- Niewald, Roy J., and Moul, Martin T.: The Longitudinal Stability, Control Effectiveness, and Control Hinge-Moment Characteristics Obtained from a Flight Investigation of a Canard Missile Configuration at Transonic and Supersonic Speeds. NACA RM L50I27, 1950.
- Houbolt, John C.: A Recurrence Matrix Solution for the Dynamic Response of Aircraft in Gusts. NACA Report 1010, 1951.
- Greenberg, Harry: A Survey of Methods for Determining Stability Parameters of an Airplane from Dynamic Flight Measurements. NACA TN 2340, 1951.
- Shinbrot, Marvin: A Least Squares Curve Fitting Method with Applications to the Calculation of Stability Coefficients from Transient-Response Data. NACA TN 2314, 1951.
- Triplett, William C., and Smith, G. Allan: Longitudinal Frequency-Response Characteristics of a  $35^\circ$  Swept-Wing Airplane as Determined from Flight Measurements, Including a Method for the Evaluation of Transfer Functions. NACA RM A51G27, 1951.
- Donegan, James J., and Pearson, Henry A.: Matrix Method of Determining the Longitudinal-Stability Coefficients and Frequency Response of an Aircraft from Transient Flight Data. NACA Report 1070, 1952.
- Shinbrot, Marvin: A Description and a Comparison of Certain Nonlinear Curve-Fitting Techniques, With Applications to the Analysis of Transient-Response Data. NACA TN 2622, 1952.
- Triplett, William C., and Brown, Stuart C.: Lateral and Directional Dynamic-Response Characteristics of a  $35^\circ$  Swept-Wing Airplane as Determined From Flight Measurements. NACA RM A52I17, 1952.
- Angle, Ellwyn E., and Holleman, Euclid C.: Longitudinal Frequency-Response Characteristics of the Douglas D-558-I Airplane as Determined From Experimental Transient-Response Histories to a Mach Number of 0.90. NACA RM L51K28, 1952.



## Flight Analysis Techniques (Continued)

Shinbrot, Marvin: An Analysis of the Errors in Curve-Fitting Problems With an Application to the Calculation of Stability Parameters from Flight Data. NACA TN 2820, 1952.

Donegan, James J.: Matrix Methods for Determining the Longitudinal-Stability Derivatives of an Airplane From Transient Flight Data. NACA TN 2902, 1953.

Briggs, Benjamin R., and Jones, Arthur L.: Techniques for Calculating Parameters of Nonlinear Dynamic Systems from Response Data. NACA TN 2977, 1953.

Eggleston, John M., and Mathews, Charles W.: Application of Several Methods for Determining Transfer Functions and Frequency Response of Aircraft from Flight Data. NACA TN 2997, 1953.

Eggleston, John M.: A Method of Deriving Frequency-Response Data for Motion of the Center of Gravity from Data Measured on an Aircraft at Locations Other Than the Center of Gravity. NACA TN 3021, 1953.

Donegan, James J., Robinson, Samuel W., Jr., and Gates, Ordway B., Jr.: Determination of Lateral-Stability Derivatives and Transfer-Function Coefficients From Frequency-Response Data for Lateral Motions. NACA TN 3083, 1954.

## Servo-System Analyses and Syntheses

- Curfman, Howard J., Jr.: Theoretical Analysis of the Rolling Motions of Aircraft Using a Flicker-Type Automatic Roll Stabilization System Having a Displacement-Plus-Rate Response. NACA RM 18K23a, 1949.
- Jones, Robert T., and Sternfield, Leonard: A Method for Predicting the Stability in Roll of Automatically Controlled Aircraft Based on the Experimental Determination of the Characteristics of an Automatic Pilot. NACA TN 1901, 1949.
- Curfman, Howard J., Jr., and Gardiner, Robert A.: Method for Determining the Frequency-Response Characteristics of an Element or System from the System Transient Output Response to a Known Input Function. NACA Report 984, 1950.
- Beckhardt, Arnold R.: A Theoretical Investigation of the Effect on the Lateral Oscillations of an Airplane of an Automatic Control Sensitive to Yawing Accelerations. NACA TN 2006, 1950.
- Seaberg, Ernest C.: Theoretical Investigation of a Proportional-Plus-Flicker Automatic Pilot. NACA RM L50119, 1950.
- Curfman, Howard J., Jr.: Theoretical and Analog Studies of the Effects of Nonlinear Stability Derivatives on the Longitudinal Motions of an Aircraft in Response to Step Control Deflections and to the Influence of Proportional Automatic Control. NACA RM L50111, 1951.
- Sternfield, Leonard, and Gates, Ordway B., Jr.: A Theoretical Analysis of the Effect of Time Lag in an Automatic Stabilization System on the Lateral Oscillatory Stability of an Airplane. NACA Report 1018, 1951.
- Jones, Arthur L., and Briggs, Benjamin R.: A Survey of Stability Analysis Techniques for Automatically Controlled Aircraft. NACA TN 2275, 1951.
- Gates, Ordway B., Jr., and Schy, Albert A.: A Theoretical Method of Determining the Control Gearing and Time Lag Necessary for a Specified Damping of an Aircraft Equipped with a Constant-Time-Lag Autopilot. NACA TN 2307, 1951.
- Zarovsky, Jacob: System Analyses and Autopilot Design for Automatic Roll Stabilization of a Supersonic Pilotless Aircraft. NACA RM L51E07, 1951.
- Smaus, Louis H., and Stewart, Elwood C.: Practical Methods of Calculation Involved in the Experimental Study of an Autopilot and the Autopilot-Aircraft Combination. NACA TN 2373, 1951.

## Servo-System Analyses and Syntheses (Continued)

Smith, Earl F.: A Graphical Method for Plotting Amplitude and Phase Angle of Transfer Functions of Dynamic Systems Without Factoring Polynomials. NACA TN 2522, 1951.

Boksenbom, Aaron S., and Hood, Richard: Automatic Control Systems Satisfying Certain General Criteria on Transient Behavior. NACA Report 1068, 1952.

Jones, Arthur L., and White, John S.: Analogue-Computer Simulation of an Autopilot Servo System Having Nonlinear Response Characteristics. NACA TN 2707, 1952.

Boksenbom, Aaron S., Novik, David, and Heppler, Herbert: Optimum Controllers for Linear Closed-Loop Systems. NACA TN 2939, 1953.

Schy, Albert A., and Gates, Ordway B., Jr.: A Theoretical Method of Analyzing the Effects of Yaw-Damper Dynamics on the Stability of an Aircraft Equipped with a Second-Order Yaw Damper. NACA TN 2857, 1952.

Gold, Harold, Otto, Edward W., and Ransom, Victor L.: Dynamics of Mechanical Feedback-Type Hydraulic Servomotors Under Inertia Load. NACA Report 1125, 1953.

Phillips, William H.: Graphical Solution of Some Automatic-Control Problems Involving Saturation Effects With Application to Yaw Dampers for Aircraft. NACA TN 3034, 1953.

Gold, Harold, and Otto, Edward W.: An Analytical and Experimental Study of the Transient Response of a Pressure-Regulating Relief Valve in a Hydraulic Circuit. NACA TN 3102, 1954.



FLIGHT INSTRUMENTATION



Danforth, Edward C. B., and Johnston, J. Ford: Error in Airspeed Measurement Due to Static-Pressure Field Ahead of Sharp-Nose Bodies of Revolution at Transonic Speeds. NACA RM L9C25, 1949.

Mitchell, Jesse L., and Peck, Robert F.: An NACA Vane-Type Angle-of-Attack Indicator for Use at Subsonic and Supersonic Speeds. NACA RM L9F28a, 1949.

Zalovcik, John A.: A Radar Method of Calibrating Airspeed Installations on Airplanes in Maneuvers at High Altitudes and at Transonic and Supersonic Speeds. NACA Report 985, 1950.

Harris, Orville R.: Determination of the Rate of Roll of Pilotless Aircraft Research Models by Means of Polarized Radio Waves. NACA TN 2023, 1950.

Zalovcik, John A.: A Method of Calibrating Airspeed Installations on Airplanes at Transonic and Supersonic Speeds by Use of Temperature Measurements. NACA TN 2046, 1950.

Zalovcik, John A.: A Method of Calibrating Airspeed Installations on Airplanes at Transonic and Supersonic Speeds by Use of Accelerometer and Attitude-Angle Measurements. NACA TN 2099, 1950.

Thompson, Jim Rogers, Bray, Richard S., and Cooper, George E.: Flight Calibration of Four Airspeed Systems on a Swept-Wing Airplane at Mach Numbers up to 1.04 by the NACA Radar-Phototeodolite Method. NACA RM A50H24, 1950.

Turner, Howard L.: Measurement of the Moments of Inertia of an Airplane by a Simplified Method. NACA TN 2201, 1950.

Fricke, Clifford L., and Smith, Francis B.: Skin-Temperature Telemeter for Determining Boundary-Layer Heat-Transfer Coefficients. NACA RM L50J17, 1951.

Taback, Israel: The NACA Oil-Damped V-G Recorder. NACA TN 2194, 1950.

Chilton, Robert G., and Brown, B. Porter: Flight Investigation of the Effect of Sideslip on the Pressure at the Static Orifices of the Boeing B-29 Airplane. NACA RM L50J30, 1951.

Danforth, Edward C. B., and O'Bryan, Thomas C.: Error in Airspeed Measurement Due to Static-Pressure Field Ahead of the Wing Tip of a Swept-Wing Airplane Model at Transonic Speeds. NACA RM L50L28, 1951.

Tolefson, H. B., and Gurtler, C. A.: An Investigation of a Method to Indicate Atmospheric Turbulence From an Airplane in Flight. NACA RM L50K29a, 1951.

Gracey, William, Coletti, Donald E., and Russell, Walter R.: Wind-Tunnel Investigation of a Number of Total-Pressure Tubes at High Angles of Attack - Supersonic Speeds. NACA TN 2261, 1951.

Richardson, Norman R.: NACA VGH Recorder. NACA TN 2265, 1951.

Cooper, Morton, and Webster, Robert A.: The Use of an Uncalibrated Cone for Determination of Flow Angles and Mach Numbers at Supersonic Speeds. NACA TN 2190, 1951.

Gracey, William, and Scheithauer, Elwood F.: Flight Investigation of the Variation of Static-Pressure Error of a Static-Pressure Tube With Distance Ahead of a Wing and a Fuselage. NACA TN 2311, 1951.

Gracey, William, Letko, William, and Russell, Walter R.: Wind-Tunnel Investigation of a Number of Total-Pressure Tubes at High Angles of Attack - Subsonic Speeds. NACA TN 2331, 1951.

McClanahan, Herbert C., Jr.: Wing-Flow Investigation of a  $45^\circ$  Cone as an Angle-of-Attack Measuring Device at Transonic Speeds. NACA RM L51E16, 1951.

Kraft, Christopher C., Jr., and Assadourian, Arthur: Experimental Study of an Angle-of-Attack Vane Mounted Ahead of the Nose of an Airplane for Use as a Sensing Device for an Acceleration Alleviator. NACA TN 2415, 1951.

Gracey, William, Pearson, Albin O., and Russell, Walter R.: Wind-Tunnel Investigation of a Shielded Total-Pressure Tube at Transonic Speeds. NACA RM L51K19, 1952.

Russell, Walter R., Gracey, William, Letko, William, and Fournier, Paul G.: Wind-Tunnel Investigation of Six Shielded Total-Pressure Tubes at High Angles of Attack - Subsonic Speeds. NACA TN 2530, 1951.

Lina, Lindsay J., and Trant, James P., Jr.: Comparison of Airspeed Calibrations Evaluated by the Accelerometer and Radar Methods. NACA TN 2570, 1952.

Cooper, Morton, and Hamilton, Clyde V.: Orientation of Orifices on Bodies of Revolution for Determination of Stream Static Pressure at Supersonic Speeds. NACA TN 2592, 1952.

McFadden, Norman M., Rathert, George A., Jr., and Bray, Richard S.: Flight Calibration of Angle-of-Attack and Sideslip Detectors on the Fuselage of a  $35^\circ$  Swept-Wing Fighter Airplane. NACA RM A52A04, 1952.



Patterson, John L.: A Miniature Electrical Pressure Gage Utilizing a Stretched Flat Diaphragm. NACA TN 2659, 1952.

Shepard, Charles E., and Warshawsky, Isidore: Electrical Techniques for Compensation of Thermal Time Lag of Thermocouples and Resistance Thermometer Elements. NACA TN 2703, 1952.

Pearson, Albin O., and Brown, Harold A.: Calibration of a Combined Pitot-Static Tube and Vane-Type Flow Angularity Indicator at Transonic Speeds and at Large Angles of Attack or Yaw. NACA RM L52F24, 1952.

McFadden, Norman M., Holden, George R., and Ratcliff, Jack W.: Instrumentation and Calibration Technique for Flight Calibration of Angle-of-Attack Systems on Aircraft. NACA RM A52I23, 1952.

Lina, Lindsay J., and Ricker, Harry H., Jr.: Measurements of Temperature Variations in the Atmosphere Near the Tropopause with Reference to Airspeed Calibration by the Temperature Method. NACA TN 2807, 1952.

Schulze, Wallace M., Ashby, George C., Jr., and Erwin, John R.: Several Combination Probes for Surveying Static and Total Pressure and Flow Direction. NACA TN 2830, 1952.

Tolefson, H. B., Pratt, K. G., and Thompson, J. K.: An Experimental Study of the Relation Between Airplane and Wind-Vane Measurements of Atmospheric Turbulence. NACA RM L52L29b, 1953.

McFadden, Norman M., McCloud, John L., III, and James, Harry A.: Comparison of Measured and Predicted Indicated Angles of Attack Near the Fuselages of a Triangular-Wing Wind-Tunnel Model and a Swept-Wing Fighter Airplane in Flight. NACA RM A53A15, 1953.

Dreher, Robert C.: An Airborne Indicator for Measuring Vertical Velocity of Airplanes at Wheel Contact. NACA TN 2906, 1953.

Li, Y. T.: High-Frequency Pressure Indicators for Aerodynamic Problems. NACA TN 3042, 1953.

Ikard, Wallace L.: An Air-Flow-Direction Pickup Suitable for Telemetering Use on Pilotless Aircraft. NACA RM L53K16, 1954.

NASA Technical Library



3 1176 01434 3884

